Caching-In for SharePoint Performance

Sean McDonough
Product Manager, SharePoint Products
Idera

Session Overview

- Caching 101
- Understanding each of SharePoint's platform caching options
- How to leverage and control caching
- Scenarios quiz
- Q & A

okay …

Why I ❤️ caching

Formerly the architect for a Fortune 25 company's publicly facing SharePoint presence

Highly trafficked environment with about 75,000 page views per hour (peak) in 2009

Averaging (at peak) 1,000 requests/second into IIS

with about 75,000 page views
per hour (peak) in 2009

ak) 1,000 requests/second into IIS

Supported initially with just 2 web
front ends (WFEs). Eventually
moved to 4 WFEs for growth.

So, what is caching?

Webster's New World Dictionary

Third College Edition

Column 1

etc. caused by living for some time in a confined space or an isolated area, esp. in winter

ca·ble (kā′b'l) *n.* [ME & OFr < LL *capulum*, a cable, rope < L *capere*, to take hold: see HAVE] 1 a thick, heavy rope, now often of wire strands 2 the strong, heavy chain attached to a ship's anchor: anchor cables were formerly of rope 3 CABLE LENGTH 4 a bundle of insulated wires through which an electric current can be passed: telegraph or telephone cables are often laid under the ground or on the ocean floor ☆5 a cablegram 6 CABLE TV —*vt.* **-bled, -bling** 1 to fasten or furnish with a cable or cables 2 to transmit by undersea cable 3 to send a cablegram to —*vi.* to send a cablegram

Ca·ble (kā′b'l), **George Washington** 1844-1925; U.S. novelist

☆**cable car** a car drawn by a moving cable, as across a canyon, up a steeply inclined street, etc.

cable·cast (kā′b'l kast′) *vt.*, **-cast′, -cast′ing** to transmit directly to receivers by means of coaxial cable —*n.* a program that is cablecast —**ca′ble·cast′er** *n.*

☆**cable·gram** (-gram′) *n.* a message sent by undersea cable

cable-laid (kā′b'l lād′) *adj.* made of three or four plain-laid ropes twisted together from right to left

cable length a unit of nautical measure equal to 720 feet (120 fathoms or 219 m) or, in British usage, 600 feet (100 fathoms or 183 m) or 607.6 feet (⅒ of a nautical mile or 185 m)

☆**cable railway** a street railway on which the cars are pulled by a continuously moving underground cable

cable stitch a type of raised stitch used in knitting: it resembles ropes twisted together

☆**cable TV** a television system in which a high antenna and one or more dish antennas receive signals from distant and local stations, electronic satellite relays, etc. and transmit them by direct cable to the receivers of persons subscribing to the system

cab·man (kab′mən) *n., pl.* **-men** (-mən) CABDRIVER

ca·bob (kə bäb′) *n.* KEBAB

cab·o·chon (kab′ə shän′; *Fr* kà bô shōn′) *n.* [Fr < *caboche*, head] 1 any precious stone cut in convex shape, polished but not faceted: see GEM, illus. 2 the style of cutting such a stone

ca·bom·ba (kə bäm′bə) *n.* [ModL < Sp] any of a genus (*Cabomba*) of waterlilies (family Cabombaceae), esp. a species (*C. caroliniana*) with submerged, needlelike leaves and rounded, floating ones: used in aquariums, garden pools, etc.

☆**ca·boodle** (kə bōōd′'l) *n.* [*ca-*, colloq. intens. prefix (< ? Ger *ge-*) + BOODLE] [Colloq.] lot; group (*the whole caboodle*)

ca·boose (kə bōōs′) *n.* [MDu *kabuys, kambuis* (< ?), ship's galley] 1 [Brit.] *Naut.* a ship's kitchen; galley ☆2 the trainmen's car on a freight train, usually at the rear

Cab·ot (kab′ət) 1 **John** (It. name *Giovanni Caboto*) c. 1450-c. 1498: It. explorer in the service of England: discovered coast of North America (1497) 2 **Sebastian** c. 1476-1557; Eng. cartographer & explorer: son of John

cab·o·tage (kab′ə tij, -läzh′) *n.* [Fr < *caboter*, to sail along the coast < MFr *rabo*, cape < Sp < L *caput*, HEAD] 1 coastal navigation and trade, esp. between ports within a country 2 air transport within a country 3 the right to engage in cabotage, esp. as granted to foreign carriers

ca·bretta (kə bret′ə) *adj.* [< Sp *cabra*, goat < L *capra*, fem. of *caper*: see CAPRIOLE] † It fem. dim. suffix *-etta*] designating or of a soft leather made from a special kind of sheepskin

ca·brilla (kə bril′ə, -brē′yə) *n.* [Sp, prawn, dim. of *cabra*, goat: see prec.] any of various edible, percoid fishes (family Serranidae) found off Florida, the West Indies, etc.

Ca·brini (kə brē′nē), Saint **Frances Xavier** (called *Mother Cabrini*) 1850-1917; U.S. nun, born in Italy: first U.S. citizen canonized: her day is Dec. 22

cab·ri·ole (kab′rē ōl′) *n.* [Fr: see fol.] 1 a leg of a table, chair, etc. that curves outward and then tapers inward down to the foot, often clawlike and grasping a ball 2 *Ballet* a leap in which one leg is thrown upward and then both legs are beaten together

cab·ri·o·let (kab′rē ə lā′) *n.* [Fr, dim. of *cabriole*, a leap, caper < L *capriola*, CAPRIOLE] 1 a light two-wheeled carriage, usually with a hood that folds, drawn by one horse 2 a former style of automobile like a convertible coupe

cab·stand (kab′stand′) *n.* a place where cabs are stationed for hire

cab- (kak) *combining form* CACO-: used before a vowel

ca·ca or **ca·ca** (kä′kä′) *n.* [Slang] excrement; feces

CABLE

CABRIOLET

Column 2

cacao butter COCOA BUTTER

cac·cia·to·re (kä′chə tôr′ē) *adj.* [It, lit., hunter < pp. of *cacciare*, hunt, chase < VL *captiare*, to CATCH] cooked in a casserole with olive oil and tomatoes, onions, spices, wine, etc. (*chicken cacciatore*)

cacha·lot (kash′ə lät′, -lō′) *n.* [Fr < Sp *cachalote* < colloq. Port *cachola*, head] SPERM WHALE

cache (kash) *n.* [Fr < *cacher*, conceal < VL *coacticare*, store up, collect, compress < L *coactare*, constrain < *coactus*, pp. of *cogere*, collect: see COGENT] 1 a place in which stores of food, supplies, etc. are hidden by explorers or trappers 2 a safe place for hiding or storing things 3 anything stored or hidden in such a place —*vt.* **cached, cach′ing** to hide or store in a cache —SYN. HIDE

cache·pot (kash′pät, -pō′) *n.* [Fr < *cacher*, to hide (see prec.) + POT] a decorative pot, jar, etc., used esp. for holding potted house plants Also **cache pot**

cache-sexe (kash′seks′) *n.* [Fr < *cacher*, to hide (see CACHE) + *sexe*, sex] a small cloth or band worn, as by an otherwise nude dancer, to conceal the genitals

ca·chet (ka shā′, kash′ā) *n.* [Fr < *cacher*: see CACHE] 1 a seal or stamp on an official letter or document: see also LETTER OF CACHET 2 any sign of official approval 3 *a*) a mark or sign showing something as genuine, authentic, or of superior quality *b*) distinctive prestige 4 *Philately* a commemorative design on an envelope that marks some historical or philatelic event 5 a little, round wafer enclosing a bad-tasting medicine —*vt.* *Philately* to print a cachet on (an envelope)

ca·chexia (kə kek′sē ə) *n.* [ModL < Gr *kachexia*, bad habit of body < *kakos*, bad + *hexis*, habit < *echein*, to have < IE base *segh-*, hold fast, conquer > SCHEME] a generally weakened, emaciated condition of the body, esp. as associated with a chronic illness Also **ca·chex′y** (-sē) —**ca·chec′tic** (-kek′tik) or **ca·chex′ic** (-kek′sik) *adj.*

cach·in·nate (kak′ə nāt′) *vi.* **-nat′ed, -nat′ing** [< L *cachinnatus*, pp. of *cachinnare*: ult. of echoic orig.] to laugh loudly or too much —**cach′in·na′tion** *n.*

ca·chou (kə shōō′) *n.* [Fr < Port *cachu* < Malayalam *kāccu*, akin to Tamil *kācu*] 1 CATECHU 2 a lozenge for sweetening the breath

ca·chu·cha (kə chōō′chə) *n.* [Sp] 1 an Andalusian dance in 3/4 time, like the bolero 2 music for this

ca·cique (kə sēk′) *n.* [Sp < Arawak word meaning "prince," "lord"] 1 *a*) in Spanish America, an Indian chief *b*) in Spanish America and Spain, a local political boss 2 any of various tropical American blackbirds (family Icteridae) with conical bills —**ca·ciqu′ism** *n.*

cack-handed (kak′han′did) *adj.* 1 [Brit. Colloq.] left-handed 2 clumsy; awkward

cack·le (kak′'l) *vi.* **-led, -ling** [ME *cakelen*; akin to Du *kokkelen*, LowG *kakkeln* < IE base *kak-*: of echoic orig.] 1 to make the shrill, broken vocal sounds of a hen 2 to laugh or chatter with similar sounds —*vt.* to utter in a cackling manner —*n.* 1 the act or sound of cackling 2 cackling laughter 3 idle or silly chatter —**cut the cackle** [Brit. Colloq.] to stop talking and settle down to serious efforts

CACM Central American Common Market

caco- (kak′ō, -ə) [< Gr *kakos*, bad, evil] *combining form* bad, poor, harsh (*cacography*)

caco·demon or **caco·daemon** (kak′ō dē′mən) *n.* [Gr *kakodaimōn*: see prec. & DEMON] an evil spirit or devil

caco·dyl (kak′ō dil′, kak′ə-) *n.* [Gr *kakōdēs*, bad-smelling (*kakos*, bad + -ōdēs (< base *od-*, to smell > ODOR, OZONE)] + -YL] *Chem.* 1 the radical As(CH₃)₂, composed of arsenic and methyl: its compounds are poisonous and foul-smelling 2 a poisonous, colorless liquid, As₂(CH₃)₄, with an offensive odor: it is a polymer of the radical —**caco′o·dyl′ic** (-dil′ik) *adj.*

caco·ethes (kak′ō ē′thēz) *n.* [L < Gr *kakoēthes* < *kakos*, bad + *ethos*, habit: see ETHICAL] a hankering (to do something); mania

ca·cog·ra·phy (kə käg′rə fē) *n.* [CACO- + -GRAPHY] 1 bad handwriting 2 incorrect spelling —**caco·graph·ic** (kak′ə graf′ik) or **cac′o·graph′i·cal** *adj.*

☆**caco·mis·tle** (kak′ə mis′əl) *n.* [AmSp *cacomixtle* < Nahuatl *tlaco-mixtli* < *tlaco*, half + *mis-tli*, cougar] 1 a slender, long-tailed raccoonlike carnivore (*Bassariscus astutus*) of the SW U.S. and Mexico 2 its fur Also **cac′o·mix′le** (-mis′əl, -mik′səl)

ca·coph·o·ny (kə käf′ə nē) *n., pl.* **-nies** [prob. via Fr *cacophonie* < Gr *kakophōnia* < *kakophōnos* < *kakophōnos*, harsh-sounding (*kakos*, bad, evil + *phōnē*, voice: see PHONO-)] harsh, jarring sound; dissonance —**ca·coph′o·nous** (-nəs) *adj.* —**ca·coph′o·nous·ly** *adv.*

cac·tus (kak′təs) *n., pl.* **-tus·es** or **-ti′** (-tī′) [ModL < Gr *kaktos*, name of thistle, cardoon] any desert plants of the cactus family, native to the New World, with fleshy stems, reduced or spinelike leaves, and often showy flowers —*adj.* designating a family (Cactaceae) of dicotyledonous plants (order Caryophyllales), including the prickly pear, saguaro, and cereus

ca·cu·mi·nal (kə kyoo′mə nal) *adj.* [< L *cacumen* (gen. *cacuminis*), top < redupl. of IE base *keu-*: see HIGH] + -AL] *Phonet.* pronounced with the tip of the tongue turned backward and up against or toward the hard palate —*n.* a cacuminal sound

cad (kad) *n.* [< CADDIE & CADET] 1 a man or boy whose behavior is not gentlemanly. Word originally applied to servants, then to town

Column 3

lory, esp. of a person; corpse, as for dissection —SYN. BODY —**ca·dav′er·ic** *adj.*

ca·dav·er·ine (-ər ēn′, -ər in) *n.* [prec. + -INE²] a colorless, putrid-smelling, liquid ptomaine, NH₂(CH₂)₅NH₂, produced by the action of microorganisms on proteins, as in decaying flesh

ca·dav·er·ous (-ər əs) *adj.* [L *cadaverosus*] of or like a cadaver; specif., *a*) pale, ghastly, or gaunt and haggard —**ca·dav′er·ous·ly** *adv.* —**ca·dav′er·ous·ness** *n.*

CAD/CAM (kad′kam′) *n.* [C(omputer-)A(ided) D(esign)/C(omputer-)A(ided) M(anufacturing)] a computer system used in engineering, combining design techniques and manufacturing principles, as in the creation of complex wiring diagrams, the design of coordinated machine parts, etc.

cad·dice (kad′is) *n.* 1 CADDIS¹ 2 CADDIS²

cad·die (kad′ē) *n.* [Scot form of Fr *cadet*: see CADET] 1 orig., an errand boy 2 a person who attends a golfer, carrying the clubs, finding the balls, etc. 3 a small, two-wheeled cart, as for carrying coffee serving items —*vi.* **-died, -dy·ing** to act as a caddie

cad·dis (kad′is) *n.* [ME & OFr *cadas*, floss silk; confused with Fr *cadarce*, coarse serge, after CADIZ (? where made)] 1 a woolen material; worsted yarn 2 a worsted ribbon

cad·dis or **cad·dice** (kad′is) *n.* CADDIS WORM

caddis fly any of an order (Trichoptera) of small, mothlike insects with a soft body, long antennae and legs, and two pairs of hairy, membranous wings

cad·dish (kad′ish) *adj.* like or characteristic of a cad; ungentlemanly —**cad′dish·ly** *adv.* —**cad′dish·ness** *n.*

caddis worm [< OFr *cadas*, floss silk (with reference to the case)] the wormlike larva of the caddis fly that usually lives in fresh water in an elongated case made of twigs, grains of sand, etc. cemented together with silk that it secretes: commonly used as bait by anglers

Cad·do (kad′ō) *n., pl.* **-does, -dos**, or **-do** [Louisiana Fr *Cadaux*, shortened < Sp *Cadojodacho* < Caddo *kaduhdá-ču?*, name of a major group of the Caddo confederacy] 1 a member of any of a group of North American Indian peoples formerly living in Louisiana, Arkansas, and E Texas, now living mainly in Oklahoma 2 the Caddoan language of these peoples

cad·do·an (-ən) *n.* [coined (1891) by J. W. Powell < prec. + -AN] a family of North American Indian languages, including Caddo, Pawnee, and Arikara

caddy¹ (kad′ē) *n., pl.* **-dies** [< earlier CATTY² < Malay *kātī*, weight equivalent to a little more than a pound] 1 a small container used for tea 2 any of various devices for holding or storing certain articles, as phonograph records

caddy² (kad′ē) *n., vi.* CADDIE

cade¹ (kād) *adj.* [LME, a pet] untended by its mother and brought up by a human being, often as a pet (*a cade lamb*)

cade² (kād) *n.* [Fr < Prov < LL *catanus*, prob. < Gaul] a bushy Mediterranean juniper (*Juniperus oxycedrus*) whose tarlike oil distilled from the wood is used in the treatment of skin disorders

-cade (kād) [< (CAVAL)CADE] *suffix* procession, parade (*motorcade*)

ca·delle (kə del′) *n.* [Fr < Prov *cadello* < L *catella*, fem. of *catellus*, puppy, whelp < IE base *kat-*, to bear young > ON *hathna*, young goat] the larva or adult of a small, shiny, black beetle (*Tenebroides mauritanicus*) harmful to grain

ca·dence (kād′'ns) *n.* [ME < OFr < OIt *cadenza* or ML *cadentia* < L *cadens*, prp. of *cadere*, to fall: see CASE¹] 1 fall of the voice in speaking 2 inflection or modulation in tone 3 any rhythmic flow of sound 4 measured movement, as in dancing or marching, or the beat of such movement 5 *Music* a series of notes or chords at the end of a phrase, section, or composition which indicates a partial or complete conclusion Also **ca′den·cy** (-'n sē) —**ca′denced** (-'nst) *adj.*

ca·den·tial (-'n shəl) *adj.*

ca·den·za (kə den′zə) *n.* [It: see CADENCE] 1 an elaborate, often improvised musical passage played unaccompanied by the solo instrument in a concerto, usually near the end of the first or the last movement 2 any brilliant flourish in an aria or solo passage

ca·det (kə det′) *n.* [Fr, younger son < Gascon *capdet*, captain, chief < LL *capitellum*, dim. of L *caput*, HEAD] 1 [Now Rare] a younger son or brother 2 [Historical] a younger son who became a gentleman volunteer in the army to offset his lack of patrimony 3 a student in training at an armed forces academy 4 a minor business associate ☆5 [Old Slang] a pimp —**cadet′ship** *n.*

ca·dette (kə det′) *n.* [prec. + -ETTE] a member of the division of Girl Scouts for girls twelve to fourteen years of age In full **Cadette Girl Scout**

cadge (kaj) *vt., vi.* **cadged, cadg′ing** [< ?] to beg or get by begging; sponge —**cadg′er** *n.*

ca·di (kä′dē, kā′-) *n.* [Ar *qādī*] a minor Muslim magistrate

cad·mi·a (kad′ē ə) *n.* [Colloq.] something that is the most luxurious or highest quality of its kind

ca·di (kä′dē də yäk′; E kad′l ak′), Sieur **An·toine de la Mothe** (än twän′ də lä môt′) 1658-1730; Fr. explorer in America

Cá·diz (kä′diz, kā′diz) 1 seaport in SW Spain, on the Atlantic: pop. 130,000 ☆2 city in N Negros, in the Philippines: pop. 130,000

cad·mi·an (kad mē′ən) *adj.* of or like Cadmus

Column 4

ment occurring as a sulfide or carbonate in zinc ores: it is used in some low-melting alloys, electroplating, rechargeable batteries, etc.: highly toxic dust or fumes: symbol, Cd; at. wt., 112.40; at. no., 48; sp. gr., 8.642; melt. pt., 321.1°C; boil. pt., 767°C —**cad′mic** (-mik) *adj.*

cadmium sulfide a toxic pigment, CdS, varying from lemon yellow (**cadmium yellow**) to yellowish orange (**cadmium orange**) and used in paints, photocells, semiconductors, etc.

Cad·mus (kad′məs) [Gr *Kadmos*] a Phoenician prince and founder of Thebes: he kills a dragon and sows its teeth, from which many armed men rise, fighting each other, until only five are left to help him build the city

ca·dre (kä′drē, -drā′; *also* , kä′-) *n.* [Fr, a frame < It *quadro* < L *quadrum*, a square: see QUADRATE] 1 basic structure or framework 2 an operational unit, as of staff officers or other key personnel, around which an expanded organization can be built 3 a small, unified group organized to instruct or lead a larger group; nucleus 4 a member of a political, esp. Communist, cadre

ca·du·ce·us (kə dōō′sē əs, -dyōō′-) *n., pl.* **-ce·i** (-sē ī′) [L, via Etr < Gr(Doric) *karykeion*, for Gr *kērykeion* < *kēryx*, herald < IE base *kar-*, to praise > OHG *hruom*, Ger *ruhm*] 1 the staff of an ancient herald; esp., the winged staff with two serpents coiled about it, carried by Mercury 2 an emblematic staff like this with either one or two serpents, used as a symbol of the medical profession —**ca·du′ce·an** *adj.*

ca·du·ci·ty (kə dōō′sə tē, -dyōō′-) *n.* [Fr *caducité* < LL *caducitas* < L *caducus*: see fol.] 1 the quality or state of being perishable 2 senility

ca·du·cous (-kəs) *adj.* [L *caducus*, falling < *cadere*, to fall: see CASE¹] *Bot.* falling off early, as some leaves

cae·cil·ian (sē sil′e ən, -sil′yən) *n.* [< ModL < L *caecilia*, kind of lizard < *caecus*: see CECUM] any of an order (Gymnophiona) of legless tropical amphibians resembling worms

cae·cum (sē′kəm) *n., pl.* **-ca** (-kə) CECUM

Caed·mon (kad′mən) fl. late 7th cent. A.D.; first Eng. poet whose name is known

Cae·lian (sē′lē ən, sēl′yən) [after L *Caelius Mons*, Caelian hill, named after the Tuscan *Caeles Vibenna*] see SEVEN HILLS OF ROME

Cae·lum (sē′ləm) a small S constellation between Columba and Eridanus

Caen (kän) chief city of Basse-Normandie, NW France: pop. 117,000

Caer·nar·von·shire (kär när′vən shir′, -shər) former county of NW Wales, now part of Gwynedd: also **Caer·nar′von**

caes·al·pin·ia (sez′al pin′ē ə, sēs′-) *adj.* designating a family (Caesalpiniaceae) of leguminous trees and shrubs, including the Kentucky coffee tree

Cae·sar (sē′zər) *n.* [after fol.] 1 the title of the emperor of Rome from Augustus to Hadrian, or of the emperor of the Holy Roman Empire 2 any of the Roman emperors 3 [often c-] any emperor or dictator

Cae·sar (sē′zər), **(Gaius) Julius** [L *Caesar*, said to be < *caesus*, pp. of *caedere*, to cut down (see -CIDE), but prob. of Etr orig.] c. 100-44 B.C.; Rom. general & statesman; dictator (49-44) of the Roman Empire

Caes·a·re·a (ses′a rē′a, sez′-, sē′za-) 1 seaport in ancient Palestine, on the Mediterranean, S of Haifa, Israel: Roman capital of Palestine 2 city in ancient Palestine, near Mt. Hermon: also **Caesarea Philippi** 3 ancient name of KAYSERI

Cae·sar·e·an or **Cae·sar·i·an** (sē zer′ē ən) *adj.* of Julius Caesar or the Caesars —*n.* CAESAREAN SECTION

Caesarean section [from the ancient story (by assoc. of the name *Caesar* with L *caedere*; see (Gaius) Julius CAESAR) that Caesar or an ancestor had been born in this manner] [*also* c- s-] a surgical operation for delivering a baby by cutting through the mother's abdominal and uterine walls

Cae·sar·ism (sē′zər iz'əm) *n.* [*also* c-] absolutism in government; autocracy —**Cae′sar·ist** *adj., n.*

☆**Caesar salad** [so named in honor of (Gaius) Julius CAESAR by Giacomo Junia, Italian-American chef in Chicago, who invented it c. 1903] a salad of greens, grated cheese, croutons, anchovies, etc. with a dressing of olive oil, lemon juice, garlic, and raw or coddled eggs

cae·sium (sē′zē əm) *n.* CESIUM

caes·pi·tose (ses′pə tōs′) *adj.* CESPITOSE

cae·su·ra (si zyoor′ə, zhoor′ə) *n., pl.* **-ras** or **-rae** (-ē) [L, a cutting < pp. of *caedere*, to cut down: see -CIDE] 1 a break or pause in a line of verse: in Greek and Latin verse, the caesura falls within the metrical foot; in English verse, it is usually about the middle of the line and is shown in scanning by the sign [‖] 2 *Music* a break or

CADUCEUS

cacao butter COCOA BUTTER

cac·cia·to|re (kä′chə tôr′ē) *adj.* [It, lit., hunter < pp. of *cacciare, to* hunt, chase < VL *captiare, to CATCH] cooked in a casserole with olive oil and tomatoes, onions, spices, wine, etc. [chicken *cac. ciatore]*

cach|a·lot (kash′ə lät′, -lō′) *n.* [Fr < Sp *cachalote* < colloq. Port *cachola,* head] SPERM WHALE

cache (kash) *n.* [Fr < *cacher,* conceal < VL *coacticare, store up,* collect, compress < L *coactare,* constrain < *coactus,* pp. of *cogere, to* collect: see COGENT] 1 a place in which stores of food, supplies, etc. are hidden, as by explorers or trappers 2 a safe place for hiding or storing things 3 anything stored or hidden in such a place —*vt.* **cached, cach′ing** to hide or store in a cache —*SYN.* HIDE[1]

cache·pot (kash′pät, -pō′) *n.* [Fr < *cacher,* to hide (see prec.) + POT[1]] a decorative pot, jar, etc., used esp. for holding potted house plants Also **cache pot**

cache-sexe (kȧsh′seks′) *n.* [Fr < *cacher,* to hide (see CACHE) + *sexe,* sex] a small cloth or band worn, as by an otherwise nude dancer, to conceal the genitals

ca·chet (ka shā′, kash′ā) *n.* [Fr < *cacher*: see CACHE] 1 a seal or stamp on an official letter or document: see also LETTRE DE CACHET 2 any sign of official approval 3 *a)* a mark or sign showing something is genuine, authentic, or of superior quality *b)* disti...

Ok, so this is the dictionary
I took to college ... and
that was over **20** years ago.

Clearly a more up-to-date definition is needed

disk-based caching

in-memory cache

ICP

virtual memory

page output cache

post-cache substitution

Web Part caching

HTCP

Cache: what is it?

browser cache

buffer

CARP

Office viewing service cache

cacheability headers

object cache

BLOB cache

fragment caching

Cache: what is it?

A temporary storage area where frequently accessed data can be stored for rapid access

Option 1: Place data on a faster medium

Option 2: place data closer to the point of usage

Why?

or at least "why for SharePoint?"

Internet

User request sent

Page content returned
Images, CSS, etc. returned

Microsoft
SharePoint
Server 2010

Requests to service applications
BCS and other system data retrieval
Potential search result federation

Microsoft
SharePoint
Server 2010

Heavy traffic to content databases

Service application DB access
Content database interactions

User request sent

Page content returned
Images, CSS, etc. returned

ternet

Heavy traffic to content databases

Requests to service applications
BCS and other system data retrieval
Potential search result federation

Service application DB access
Content database interactions

ASP.NET Page and Control Life Cycle

ASP.NET Page and Control Life Cycle

Key

- Page
- Master Page
- User Control
- Server Control
- Event Handler
- Page PostBack

Construct
ProcessRequest
FrameworkInitialize
InitializeCulture
AddParsedSubObject (1...n)
CreateControlCollection (once)
AddedControl
ResolveAdapter
DeterminePostBackMode
OnPreInit
PreInit
Construct
HasControls
RemovedControl (1...n)
FrameworkInitialize
AddParsedSubObject (1...n)
CreateControlCollection (once)
AddedControl

Per Child Control

ResolveAdapter
ResolveAdapter

OnInit Init
TrackViewState
OnInit Init
TrackViewState
OnInitComplete
LoadPageStateFromPersistenceMedium
Register/RequiresRaiseEvent
OnPreLoad PreLoad
OnLoad Load
RaisePostBackEvent
Validate
OnBubbleEvent
OnBubbleEvent
OnLoadComplete LoadComplete
EnsureChildControls
CreateChildControls
OnPreRender PreRender
EnsureChildControls
ResolveAdapter
CreateChildControls
OnPreRender

OnPreRenderComplete PreRenderComplete
SaveViewState SaveViewState
SavePageStateToPersistentMedium
ResolveAdapter SaveStateComplete
OnSaveStateComplete
CreateHtmlTextWriter
RenderControl
Render
RenderChildren RenderControl
Render RenderChildren

Per Child Control

OnUnload Unload
Dispose Disposed
OnUnload Unload
Dispose Disposed

Per User / Server Control

(Constructor)
ApplyStylesheetSkin
ResolveAdapter
OnInit Init
TrackViewState

Construct
FrameworkInitialize
ResolveAdapter
OnInit Init
TrackViewState

OnLoad Load
OnLoad Load

Control Events Change Click Etc...
Control Events

Any control events are fired here (e.g. OnChange/OnClick etc)

OnLoad Load

EnsureChildControls
ResolveAdapter
CreateChildControls
OnPreRender PreRender
SaveViewState

EnsureChildControls
ResolveAdapter
CreateChildControls
OnPreRender PreRender
SaveViewState

Per User / Server Control

EnsureChildControls/CreateChildControls can be called as early as just after "LoadPageStateFromPersistenceMedium" when doing a postback.

However – always call "EnsureChildControls" before accessing child controls prior to "OnPreRender"

RenderControl
Render
RenderBeginTag
AddAttributesToRender
RenderContents
RenderEndTag
OnUnload Unload
Dispose Disposed

RenderControl
Render
RenderChildren

OnUnload Unload
Dispose Disposed

Per User / Server Control

thanks, Justin Stenning!

The ultimate goal of caching

Better performing, more scalable sites which yield a better user experience

SharePoint caching: whatcha got?

- Object caching
- BLOB caching
- Page output caching
- Office web applications cache

Mentioned but not covered in depth: web part cache, ASP.NET cache, IVaryByCustomHandler implementations, post-cache substitution, fragment caching, and other development topics/concerns

Unless otherwise noted, we're talking about both of the following:

Microsoft® SharePoint® Server 2010

Microsoft® Office SharePoint® Server 2007

Short story time...

START

Where's the
#$@! "on" button?

http://www.spmcdonough.com/_layouts/settings.aspx

Google

Favorites   Site Settings

Page ▼ Safety ▼ Tools ▼ ?

Site Actions ▼

Sean P. McDonough ▼

Sean P. McDonough ▸ Site Settings

I Like It   Tags & Notes

Sean P. McDonough   Press Releases

Press Releases

Recycle Bin
All Site Content

Users and Permissions
People and groups
Site permissions
Site collection administrators

Galleries
Site columns
Site content types
Web parts
List templates
Master pages and page layouts
Themes
Solutions

Site Administration
Regional settings
Site libraries and lists
User alerts
RSS
Search and offline availability
Sites and workspaces
Workflows
Workflow settings
Site output cache
Term store management
Content and structure
Searchable columns
Content and structure logs

Site Collection Administration
Search settings
Search scopes
Search keywords
Recycle bin
Site collection features
Site hierarchy
Site collection navigation
Site collection audit settings
Portal site connection
Site collection policies
Content type publishing
Site collection cache profiles
Site collection output cache
Site collection object cache
Variations
Variation labels
Variation logs
Translatable columns
Suggested Content Browser Locations
SharePoint Designer Settings
Visual Upgrade
Help settings

Look and Feel
Welcome Page
Title, description, and icon
Master page
Page layouts and site templates
Tree view
Site theme
Navigation

Site Actions
Manage site features
Reset to site definition
Delete this site
Site Web Analytics reports
Site Collection Web Analytics reports

Reporting Services
Manage Shared Schedules
Reporting Services Site Settings

Site Information

Site URL:
http://www.spmcdonough.com/

Mobile Site URL:
http://www.spmcdonough.com/?Mobile=1

Done

Internet | Protected Mode: On

100%

Content and structure logs

Site Collection Administration

Search settings

Search scopes

Search keywords

Recycle bin

Site collection features

Site hierarchy

Site collection navigation

Site collection audit settings

Portal site connection

Site collection policies

Content type publishing

Site collection cache profiles

http://www.spmcdonough.com/_layouts/ManageFeatures.aspx?Scope=Site

Google

Favorites | Site Collection Features

Page ▾ Safety ▾ Tools ▾

Sean P. McDonough

Open Menu

Site Actions ▾

Custom Site Collection Help
Creates a Help library that can be used to store custom help for this site collection.

[Activate]

Disposition Approval Workflow
Manages document expiration and retention by allowing participants to decide whether to retain or delete expired documents.

[Deactivate] **Active**

Document ID Service
Assigns IDs to documents in the Site Collection, which can be used to retrieve items independent of their current location.

[Activate]

Document Sets
Provides the content types required for creating and using document sets. Create a document set when you want to manage multiple documents as a single work product.

[Activate]

In Place Records Management
Enable the definition and declaration of records in place.

[Activate]

Library and Folder Based Retention
Allows list administrators to override content type retention schedules and set schedules on libraries and folders.

[Activate]

Open Documents in Client Applications by Default
Configures links to documents so they open in client applications instead of Web applications, by default.

[Activate]

PerformancePoint Services Site Collection Features
Features enabling the PerformancePoint Services site including content types and site definitions for this site collection.

[Activate]

Publishing Approval Workflow
Routes a page for approval. Approvers can approve or reject the page, reassign the approval task, or request changes to the page. This workflow can be edited in SharePoint Designer.

[Deactivate] **Active**

Report Server Integration Feature
Enables rich reporting using Microsoft SQL Server Reporting Services.

[Deactivate] **Active**

Reporting
Creates reports about information in Microsoft SharePoint Foundation.

[Activate]

Search Server Web Parts
This feature uploads all web parts required for Search Center.

[Activate]

SharePoint 2007 Workflows
Aggregated set of out-of-box workflow features provided by SharePoint 2007.

[Activate]

SharePoint Server Enterprise Site Collection features
Features such as InfoPath Forms Services, Visio Services, Access Services, and Excel Services Application, included in the SharePoint Server Enterprise License.

[Activate]

Of course, this poses some problems for WSSv3 and SPF users ...

SharePoint Server Publishing Infrastructure
Provides centralized libraries, content types, master pages and page layouts and enables page scheduling and other publishing functionality for a site collection.

[Deactivate] **Active**

SharePoint Server Standard Site Collection features
Features such as user profiles and search, included in the SharePoint Server Standard License.

[Activate]

Three-state workflow
Use this workflow to track items in a list.

[Activate]

Workflows
Aggregated set of out-of-box workflow features provided by SharePoint.

[Deactivate] **Active**

Done

Internet | Protected Mode: On

100%

SharePoint 2007 Workflows

Aggregated set of out-of-box workflow features provid

SharePoint Server Enterprise Site Collection fea

Features such as InfoPath Forms Services, Visio Servic
SharePoint Server Enterprise License.

SharePoint Server Publishing Infrastructure

Provides centralized libraries, content types, master pa
functionality for a site collection.

SharePoint Server Standard Site Collection featu

Features such as user profiles and search, included in

Three-state workflow

Use this workflow to track items in a list.

Activate

Activate

Deactivate   **Active**

ng

Activate

Activate

se Site Collection features

ns Services, Visio Services, Access Servic
icense.

ng Infrastructure

content types, master pages and page lay
n.

Of course, this poses some problems for WSSv3 and SPF users ...

d Site Collection features

nd search, included in the SharePoint Se

So ... how does the plumbing work?

```xml
    </system.web>
    <system.webServer>
      <security>
        <requestFiltering allowDoubleEscaping="true">
          <requestLimits maxAllowedContentLength="2147483647" />
        </requestFiltering>
      </security>
      <validation validateIntegratedModeConfiguration="false" />
      <modules runAllManagedModulesForAllRequests="true">
        <remove name="AnonymousIdentification" />
        <remove name="FileAuthorization" />
        <remove name="Profile" />
        <remove name="WebDAVModule" />
        <remove name="Session" />
        <add name="SPRequestModule" preCondition="integratedMode" type="Microsoft.SharePoint.ApplicationRuntime.SP
        <add name="ScriptModule" preCondition="integratedMode" type="System.Web.Handlers.ScriptModule, System.Web.
        <add name="SharePoint14Module" preCondition="integratedMode" />
        <add name="StateServiceModule" type="Microsoft.Office.Server.Administration.StateModule, Microsoft.Office.
        <add name="RSRedirectModule" type="Microsoft.ReportingServices.SharePoint.Soap.RSRedirectModule, RSSharePo
        <add name="PublishingHttpModule" type="Microsoft.SharePoint.Publishing.PublishingHttpModule, Microsoft.Sha
      </modules>
      <handlers>
        <remove name="OPTIONSVerbHandler" />
        <remove name="WebServiceHandlerFactory-Integrated" />
        <remove name="svc-Integrated" />
        <remove name="WebDAV" />
        <add name="svc-Integrated" path="*.svc" verb="*" type="System.ServiceModel.Activation.HttpHandler, System.
        <add name="OwssvrHandler" scriptProcessor="C:\Program Files\Common Files\Microsoft Shared\Web Server Exten
        <add name="ScriptHandlerFactory" verb="*" path="*.asmx" preCondition="integratedMode" type="System.Web.Scr
        <add name="ScriptHandlerFactoryAppServices" verb="*" path="*_AppService.axd" preCondition="integratedMode"
        <add name="ScriptResource" preCondition="integratedMode" verb="GET,HEAD" path="ScriptResource.axd" type="S
        <add name="JSONHandlerFactory" path="*.json" verb="*" type="System.Web.Script.Services.ScriptHandlerFactor
        <add name="ReportViewerWebPart" verb="*" path="Reserved.ReportViewerWebPart.axd" type="Microsoft.Reporting
        <add name="ReportViewerWebControl" verb="*" path="Reserved.ReportViewerWebControl.axd" type="Microsoft.Rep
      </handlers>
    </system.webServer>
    <system.serviceModel>
```

Caching in action

Consider this sample page as we discuss SharePoint's caching mechanisms...

First up …

Object caching

Object caching

Speeds access to frequently referenced structural, property, and result data

A Web Page

http://spdev:18480/Pages/default.aspx

☺ **My SharePoint Site**

✎ ▣ ? SPDC\me ▽

Site Actions ▽ 🗀

Search this site...

Home

My SharePoint Site

Your SharePoint Site

Another Site

Welcome Back, Bob!

It is by will alone I set my mind in motion.

It is by the juice of Sapho that thoughts acquire speed, the lips acquire stains, the stains become a warning.

It is by will alone I set my mind in motion.

Just sit right back and you'll hear a tale, a tale of a fateful trip, That started from this tropic port, aboard this tiny ship. The mate was a mighty sailin' man, the Skipper brave and sure. Five passengers set sail that day for a three hour tour. A three hour tour.

The weather started

---

*Navigational d...
such as this
breadcrumb ...*

... and the Quick Launch

page layouts also get cached

*If this happe...
be a Conten...
Query Web...
(CQWP), th...
could benef...
significantly...
object cachi...*

Home

My SharePoint Site

Your SharePoint Site

Another Site

W

... and the Quick Launch

Just sit right back and you'll hear a tale, a tale of a fateful trip, That started from this tropic port, aboard this tiny ship. The mate was a mighty sailin' man, the Skipper brave and sure. Five passengers set sail that day for a three hour tour. A three hour tour.

The weather started

If this happened to be a Content Query Web Part (CQWP), then it could benefit significantly from object caching.

page layouts also
get cached

Object cache

Backed by memory

Turned on by default

Default ~~size or~~ allocation

100MB per
site collection

A new trick that comes with SharePoint 2010 ...

```xml
            <Action id="0ff1ce14-1021-0000-0000-00000000
            <Action id="ec0076ac-0c35-4880-8422-8062f592
            <Action id="602bc8c3-9286-49a3-b973-3376ca78
            <Action id="00e22a78-33ff-41ac-b0fb-ee46d163
            <Action id="4b60e42e-e6fc-4188-80d2-ef39e7cc
            <Action id="1d415973-1146-4bc2-8324-83dfff5b
        </MergedActions>
        <BlobCache location="C:\BlobCache\14" path="\.
        <ObjectCache maxSize="100" />
        <OutputCacheProfiles useCacheProfileOverrides=
        <RuntimeFilter Assembly="Microsoft.Office.Serv
    </SharePoint>
    <system.web>
        <securityPolicy>
            <trustLevel name="WSS_Medium" policyFile="C:
            <trustLevel name="WSS_Minimal" policyFile="C
        </securityPolicy>
        <httpHandlers />
        <customErrors mode="On" />
        <httpRuntime maxRequestLength="51200" />
```

http://www.spmcdonough.com/_layouts/settings.aspx

Google

Favorites | Site Settings

Page ▼ Safety ▼ Tools ▼

Site Actions ▼

Sean P. McDonough ▼

Sean P. McDonough ▸ Site Settings

I Like It | Tags & Notes

Sean P. McDonough | Press Releases

Press Releases

Recycle Bin
All Site Content

Users and Permissions
People and groups
Site permissions
Site collection administrators

Galleries
Site columns
Site content types
Web parts
List templates
Master pages and page layouts
Themes
Solutions

Site Administration
Regional settings
Site libraries and lists
User alerts
RSS
Search and offline availability
Sites and workspaces
Workflows
Workflow settings
Site output cache
Term store management
Content and structure
Searchable columns
Content and structure logs

Site Collection Administration
Search settings
Search scopes
Search keywords
Recycle bin
Site collection features
Site hierarchy
Site collection navigation
Site collection audit settings
Portal site connection
Site collection policies
Content type publishing
Site collection cache profiles
Site collection output cache
Site collection object cache
Variations
Variation labels
Variation logs
Translatable columns
Suggested Content Browser Locations
SharePoint Designer Settings
Visual Upgrade
Help settings

Look and Feel
Welcome Page
Title, description, and icon
Master page
Page layouts and site templates
Tree view
Site theme
Navigation

Site Actions
Manage site features
Reset to site definition
Delete this site
Site Web Analytics reports
Site Collection Web Analytics reports

Reporting Services
Manage Shared Schedules
Reporting Services Site Settings

Site Information

Site URL:
http://www.spmcdonough.com/

Mobile Site URL:
http://www.spmcdonough.com/?Mobile=1

Done

Internet | Protected Mode: On

100%

Site collection audit settings

Portal site connection

Site collection policies

Content type publishing

Site collection cache profiles

Site collection output cache

Site collection object cache

Variations

Variation labels

Variation logs

Translatable columns

Suggested Content Browser Locations

SharePoint Designer Settings

Visual Upgrade

Help settings

Site Actions ▾

Sean P. McDonough ▾

Site Collection Administration ▸ Object cache settings

Configure settings for the object cache.

I Like It   Tags & Notes

Sean P. McDonough | Press Releases

Search this site...

Press Releases

Recycle Bin

All Site Content

Object Cache Size

Object Cache Size Learn more about the object cache.

Max. Cache Size (MB):

100

Object Cache Reset

When you select this check box, all entries in the object cache will be flushed immediately when you click **OK**. If this check box is not selected, the cache will manage the expiration of items based on when they time out or are changed in the site.

☐ Object Cache Flush

☐ Force all servers in the farm to flush their object caches

Cross List Query Cache Changes

Cross list queries initiated by the Content Query Web Part or other custom implementations can use up server resources. Specifying an amount of time to cache the results of a cross list query can positively impact cross-list query performance but may display results that do not reflect the most recent changes to the items returned by the query. Checking the server each time cross list query runs will produce the most accurate results at the possible cost of slower performance across the site.

○ Check the server for changes every time a cross list query runs

◉ Use the cached result of a cross list query for this many seconds:

60

Cross List Query Results Multiplier

Each cross list query might retrieve results for a variety of users. To ensure after security trimming that all users will see a valid set of results, the cross list query cache must pull more results than originally requested. Specifying a larger number will retrieve more data from the server and is ideal for site collections that have unique security applied on many lists and sites. Specifying a smaller number will consume less memory per cross list query and is ideally suited for site collections that do not have unique security on each list or site.

Cross list query multiplier:

3

OK   Cancel

Done   Internet | Protected Mode: On   100%

nfigure settings for the object cache.

Donough   Press Releases

eases

Object Cache Size

Object Cache Size Learn more about t

Bin

Search this site...

Max. Cache Size (MB):

100

And now, for a painful story ...

The take-away:

Don't dial-down the object cache allocation unless you know what you're doing and understand the implications of having too little memory allocated!

Object Cache Size

Object Cache Size Learn more about t

Object Cache Reset

When you select this check box, all en
you click **OK**. If this check box is not s
on when they time out or are changed

100

☐ Object Cache Flush

☐ Force all servers in the farm to flush th

◌ Check the server for changes every ti

you click **OK**. If this check box is not selecte
on when they time out or are changed in the

Cross List Query Cache Changes

Cross list queries initiated by the Content Qu
use up server resources. Specifying an amo
can positively impact cross-list query perforn
most recent changes to the items returned b
query runs will produce the most accurate re
across the site.

Force all servers in the farm to flush the

○ Check the server for changes every tim
query runs

◉ Use the cached result of a cross list que
seconds:

60

Cross list query multipler:

3

Guidance

	Anonymous	Authenticated
Cache Duration	↑	↓
Cross List Multiplier	↓	↑

Especially if per-site and per-item security is prevalent

Especially if per-site and per-item security is prevalent

Caching results from lookups will reduce processing on WFEs to some extent.

Object caching will cut down on the number of queries to SQL Server, reducing network and SQL Server load

Object caching will cut down on the number of queries to SQL Server, reducing network and SQL Server load

Caching results from lookups will reduce processing on WFEs to some extent.

Current problem with SharePoint 2010

Object cache access accounts are configurable, but their defaults are particularly poor choices for most environments

- Portal Super User: System Account
- Portal Super Reader: NT Authority\Local Service

Problems this causes

- Checked-out items can be returned with System Account, forcing re-fetch of objects from the content database
- Access denied issues with claims-based authentication since NT Authority\Local Service account does not properly resolve

The fix

- Use PowerShell to assign domain user accounts to each role and then specify web application policies for each account

Next up …

BLOB caching

No, not that kind of BLOB

BLOB = binary large object

aching

VS

BLOB | Blob

BLOB	Blob
Chews up database space	Consumes entire cities
Hated by database admins	Bane of humanity
Kills attempts to organize database pages and extents	Kills anyone stupid enough to get in its slow-moving way
Conquered with RBS	Wiped out through military action ... sometimes ...
	WINNER!

Everything that's highlighted in pink would be cached through BLOB caching

http://spdev:18480/Pages/default.aspx

My SharePoint Site

SPDC\me

Site Actions

Search this site...

Home

My SharePoint Site

Your SharePoint Site

Another Site

Top-Level Site > My SharePoint Site

Welcome Back, Bob!

It is by will alone I set my mind in motion.

It is by the juice of Sapho that thoughts acquire speed, the lips acquire stains, the stains become a warning.

It is by will alone I set my mind in motion.

Caching can be extended to cover any static file type, including Flash, PDF, and other common web file types.

Everything that's highlighted in would be cached through BLOB caching

Just sit right back and you'll hear a tale, a tale of a fateful trip, That started from this tropic port, aboard this tiny ship. The mate was a mighty sailin' man, the Skipper brave and sure. Five passengers set sail that day for a three hour tour. A three hour tour.

The weather started

Caching can be extended to cover any static file type, including Flash, PDF, and other common web file types.

It is by w

mind in mo

It is by t

that thou

BLOB cache

Backed by disk

Turned off by default

Default ~~size or~~ allocation

10GB per
IIS site (zone)

Controlled through web.config settings

```xml
      <Action id="0ff1ce14-1019-0000-0000-000000000000" sourceFile="C:\Program Files\Common Files\Mic
      <Action id="0ff1ce14-101a-0000-0000-000000000000" sourceFile="C:\Program Files\Common Files\Mic
      <Action id="0ff1ce14-101b-0000-0000-000000000000" sourceFile="C:\Program Files\Common Files\Mic
      <Action id="0ff1ce14-101c-0000-0000-000000000000" sourceFile="C:\Program Files\Common Files\Mic
      <Action id="0ff1ce14-101d-0000-0000-000000000000" sourceFile="C:\Program Files\Common Files\Mic
      <Action id="0ff1ce14-101e-0000-0000-000000000000" sourceFile="C:\Program Files\Common Files\Mic
      <Action id="0ff1ce14-1020-0000-0000-000000000000" sourceFile="C:\Program Files\Common Files\Mic
      <Action id="0ff1ce14-1021-0000-0000-000000000000" sourceFile="C:\Program Files\Common Files\Mic
      <Action id="ec0076ac-0c35-4880-8422-8062f5925bec" sourceFile="C:\Program Files\Common Files\Mic
      <Action id="602bc8c3-9286-49a3-b973-3376ca78b297" sourceFile="C:\Program Files\Common Files\Mic
      <Action id="00e22a78-33ff-41ac-b0fb-ee46d1636e22" sourceFile="C:\Program Files\Common Files\Mic
      <Action id="4b60e42e-e6fc-4188-80d2-ef39e7cc0065" sourceFile="C:\Program Files\Common Files\Mic
      <Action id="1d415973-1146-4bc2-8324-83dfff5bfe33" sourceFile="C:\Program Files\Common Files\Mic
    </MergedActions>
    <BlobCache location="C:\BlobCache\14" path="\.(gif|jpg|jpeg|jpe|jfif|bmp|dib|tif|tiff|ico|png|wdp
    <ObjectCache maxSize="100" />
    <OutputCacheProfiles useCacheProfileOverrides="false" varyByHeader="" varyByParam="*" varyByCusto
    <RuntimeFilter Assembly="Microsoft.Office.Server, Version=14.0.0.0, Culture=neutral, PublicKeyTok
  </SharePoint>
  <system.web>
    <securityPolicy>
      <trustLevel name="WSS_Medium" policyFile="C:\Program Files\Common Files\Microsoft Shared\Web Se
      <trustLevel name="WSS_Minimal" policyFile="C:\Program Files\Common Files\Microsoft Shared\Web S
    </securityPolicy>
    <httpHandlers />
    <customErrors mode="On" />
    <httpRuntime maxRequestLength="51200" />
    <authentication mode="Windows" />
    <identity impersonate="true" />
    <authorization>
      <allow users="*" />
    </authorization>
    <httpModules />
    <globalization fileEncoding="utf-8" />
```

Default BlobCache Attributes

MOSS 2007

```
<BlobCache location="C:\blobCache" path="\.(gif|jpg|png|css|js)$" maxSize="10" enabled="false" />
```

SharePoint Server 2010

```
<BlobCache location="C:\BlobCache\14" path=
"\.(gif|jpg|jpeg|jpe|jfif|bmp|dib|tif|tiff|ico|png|wdp|hdp|css|js|asf|avi|flv|m4v|mov|mp3|mp4|mpeg
|mpg|rm|rmvb|wma|wmv)$" maxSize="10" enabled="false" />
```

Available Attributes

Common

enabled	true if the BLOB cache is turned-on, false if not
location	path to location in file system where cached items will be stored
path	regular expression against which files must match in order to be cached
size	maximum disk space (in GB) that BLOB cache can consume
max-age	client-side cache duration (in seconds) for downloaded BLOB cache items

Uncommon (as in "nearly never altered")

changeCheckInterval	the interval (in seconds) for checks to content DBs for new(er) BLOB cache items (5s default)
policyCheckInterval	the interval (in seconds) on which the BLOB cache settings themselves will be re-parsed (60s default)

Side note: to be BLOB cached, a file must be a document in a Document Library or a list item attachment. "Loose files" won't be cached.

Recommendation: point at someplace other than C:

Recommendation: make sure you add up your allocations (each site) and have enough disk space!

Uncomm

DO NOT simply
delete files out of
the BLOB cache!

changeCl

policyCl

Now, for a word about the max-age attribute ...

max-age in action: initial request (non-zero max-age value)

#	Result	Protocol	URL	Body	Caching	
64	200	HTTP	/SiteCollectionImages/common/content...	79	public, max-age=2232	image/gif
65	200	HTTP	/SiteCollectionImages/common/btnNoTh...	2,112	public, max-age=2478	image/gif
66	200	HTTP	/SiteCollectionImages/common/signinOv...	165	public, max-age=4707	image/png
67	200	HTTP	/SiteCollectionImages/common/benefits...	16,907	public, max-age=5791	image/png
68	200	HTTP	/_controltemplates/MultiBanner/ModalP...	15,618	max-age=867	image/png
69	302	HTTP	/is/www.kroger.com?U=/SiteCollectionI...	0	max-age=0, no-cache, no-store Expires: Sun, 03 Apr 201...	
70	200	HTTP	/SiteCollectionImages/common/160x41...	5,099	public, max-age=2141	image/jpeg
71	200	HTTP	/PublishingImages/section_headers/hea...	4,538	public, max-age=1452	image/jpeg
72	200	HTTP	/PublishingImages/2011/Period_3/Week...	73,370	public, max-age=1320	image/jpeg
73	200	HTTP	/PublishingImages/2011/Period_3/Week...	77,412	public, max-age=944	image/jpeg
74	200	HTTP	/PublishingImages/2011/Period_3/Week...	52,993	public, max-age=1307	image/jpeg
75	200	HTTP	/_layouts/1033/core.js?rev=mHKsOQ0i...	265,384	max-age=2908	application/x-javascript
76	200	HTTP	/style%20library/omniture/s_code_krog...	20,172	public, max-age=2590	application/x-javascript
77	200	HTTP	/SiteCollectionImages/common/closeBtn...	879	public, max-age=4795	image/gif
78	200	HTTP	/SiteCollectionImages/icons/icon_import...	1,287	public, max-age=2785	image/gif
79	200	HTTP	/iframe.php?targeting_bucket=Banner_...	6,147	max-age=300, max-age=600 Expires: Sun, 03 Apr 2011 2...	text/html; charset=utf-8
80	200	HTTP	/adj/mwl.kroger.www/;page=home_ma...	571	private Expires: Sun, 03 Apr 2011 20:13:57 GMT	application/x-javascript
81	200	HTTP	/SiteCollectionImages/common/boxBg_...	82	public, max-age=767	image/gif
82	200	HTTP	/SiteCollectionImages/common/boxTop...	923	public, max-age=888	image/gif
83	200	HTTP	/includes/css/iframe.css	1,603	max-age=2592000 Expires: Tue, 03 May 2011 20:11:19 GMT	text/css
84	200	HTTP	/images/generic_header.png	10,978	max-age=2592000 Expires: Tue, 03 May 2011 20:11:16 GMT	image/png
85	200	HTTP	/srv/upload_files/fea90f098a8b8d3401...	5,744	max-age=2592000 Expires: Tue, 03 May 2011 20:09:42 GMT	image/gif
86	200	HTTP	/images/coupon-pointer.png	1,952	max-age=2592000 Expires: Tue, 03 May 2011 20:09:02 GMT	image/png
87	200	HTTP	/srv/upload_files/acdf9eb5cc1b4b75e4...	5,985	max-age=2592000 Expires: Tue, 03 May 2011 20:11:19 GMT	image/gif
88	200	HTTP	/srv/upload_files/46263a8ea7a6c1251a...	4,942	max-age=2592000 Expires: Tue, 03 May 2011 20:11:19 GMT	image/gif
89	200	HTTP	/srv/upload_files/5467f518013f109e51...	5,241	max-age=2592000 Expires: Tue, 03 May 2011 20:11:19 GMT	image/gif
90	200	HTTP	/siteCollectionImages/swf/heroHomepa...	105,036	public, max-age=5897	application/x-shockwave-flash
91	200	HTTP	/PublishingImages/2011/Period_3/Week...	164,821	public, max-age=1546	image/jpeg
92	200	HTTP	/PublishingImages/2011/Period_3/Week...	153,151	public, max-age=1863	image/jpeg
93	200	HTTP	/PublishingImages/2011/Period_3/Week...	118,575	public, max-age=1894	image/jpeg
94	200	HTTP	/SiteCollectionImages/common/signinOv...	594	public, max-age=5181	image/png
95	200	HTTP	/SiteCollectionImages/common/bgSignI...	434	public, max-age=5094	image/gif
96	200	HTTP	/SiteCollectionImages/common/signinOv...	470	public, max-age=1584	image/png
97	200	HTTP	/SiteCollectionImages/common/benefits...	250	public, max-age=2539	image/png
98	200	HTTP	/SiteCollectionImages/common/benefits...	10,762	public, max-age=5053	image/png
99	200	HTTP	/SiteCollectionImages/common/benefits...	939	public, max-age=6742	image/gif
100	200	HTTP	/SiteCollectionImages/common/benefits...	1,428	public, max-age=5869	image/gif
101	200	HTTP	/SiteCollectionImages/common/benefits...	1,508	public, max-age=1087	image/gif
102	200	HTTP	/SiteCollectionImages/common/benefits...	1,472	public, max-age=5494	image/gif
103	200	HTTP	/SiteCollectionImages/common/benefits...	1,496	public, max-age=4800	image/gif
104	200	HTTP	/_controltemplates/MultiBanner/ModalP...	1,386	max-age=1776	image/gif
105	200	HTTP	/SiteCollectionImages/common/benefits...	1,511	public, max-age=6492	image/gif
106	200	HTTP	/2934496/2of3_tr1_Mars_GC.jpg	137,333	public, max-age=86400 Expires: Mon, 04 Apr 2011 04:05:...	image/jpeg
107	200	HTTP	/PublishingImages/section_headers/hea...	3,922	public, max-age=1000	image/jpeg
108	200	HTTP	/SiteCollectionImages/common/footer_...	1,401	public, max-age=4232	image/gif
109	200	HTTP	/SiteCollectionImages/common/footerLi...	54	public, max-age=1035	image/gif
110	200	HTTP	/SiteCollectionImages/common/boxBott...	838	public, max-age=1818	image/gif
111	200	HTTP	/SiteCollectionImages/common/content...	5,785	public, max-age=1121	image/jpeg
113	302	HTTP	/b/ss/krgrkrogerprod/1/H.14/s2205936...	0	no-cache, no-store, must-revalidate, max-age=0, proxy-re...	text/plain
114	200	HTTP	/SiteCollectionImages/common/bgSelect...	654	public, max-age=6811	image/gif
115	200	HTTP	/b/ss/krgrkrogerprod/1/H.14/s2205936...	43	no-cache, no-store, must-revalidate, max-age=0, proxy-re...	image/gif

Web Sessions

Clear the WinINET cache. Hold CTRL to a

115 HTTP requests issued and answered to fully load page

max-age in action: subseqent request (re-opened browser)

| #	Result	Protocol	URL	Body	Caching	Content-Type
1	302	HTTP	/	163		text/html
2	200	HTTP	/Pages/default.aspx	81,746	private Expires: Sun, 03 Apr 2011 20:23:34 GMT	text/html; charset=utf-8
3	200	HTTP	/adj/mwl.kroger.www/;page=home_ma...	571	private, x-gzip-ok="" Expires: Sun, 03 Apr 2011 20:16:05 ...	application/x-javascript
4	200	HTTP	/b/ss/krgrkrogerprod/1/H.14/s2656257...	43	no-cache, no-store, must-revalidate, max-age=0, proxy-re...	image/gif

Web Sessions

Only 4 requests needed to load the page

Of course, this behavior can work both for you and against you ...

If you don't want persistent client-side caching, be sure to specify a max-age value of zero (0). If you don't specifiy a value, the default is 86,400 seconds (24 hours).

With use of the max-age attribute, BLOB caching can significantly reduce requests coming into the WFEs

Internet

Microsoft
SharePoint
Server 2010

Microsoft
SharePoint
Server 2010

Simply turning on BLOB caching reduces BLOB fetch behavior between WFEs and SQL Server. This can significantly reduce bandwidth consumption and ease the load on SQL Server

Simply turning on BLOB caching reduces BLOB fetch behavior between WFEs and SQL Server. This can significantly reduce bandwidth consumption and ease the load on SQL Server

With use of the max-age attribute, BLOB caching can significantly reduce requests coming into the WFEs

Next up…

Page output caching

piggybacks on ASP.NET output caching

It's easier to simply put red X's through the content and items that aren't covered by page output caching.

http://spdev:18480/Pages/default.aspx

⊗ My SharePoint Site

? SPDC\me

Site Actions ✗ ✗

I'll talk about the reason for highlighting this a little later. For now, though, we'll just say "it isn't covered by page output caching."

Search this site...

Top-Level Site > My SharePoint Site

Home

| My SharePoint Site |
| Your SharePoint Site |
| Another Site |

It's easier to simply put red X's through the content and items that aren't covered by page output caching.

Welcome Back, Bob!

It is by will alone I set my mind in motion.

It is by the juice of Sapho that thoughts acquire speed, the lips acquire stains, the stains become a warning.

It is by will alone I set my mind in motion.

Just sit right back and you'll hear a tale, a tale of a fateful trip, That started from this tropic port, aboard this tiny ship. The mate was a mighty sailin' man, the Skipper brave and sure. Five passengers set sail that day for a three hour tour. A three hour tour.

The weather started

int Site

I'll talk about the reason for highlighting this a little later. For now, though, we'll just say "it isn't covered by page output caching."

Welcome Back, Bob!

Page output caching

Backed by memory

Turned off by default
(thankfully)

Default size or allocation   None*

A new trick that comes with SharePoint 2010 ...

```xml
    <Action id="0ff1ce14-101d-0000-0000-000000000000" sourceFile="C:\Program F
    <Action id="0ff1ce14-101e-0000-0000-000000000000" sourceFile="C:\Program F
    <Action id="0ff1ce14-1020-0000-0000-000000000000" sourceFile="C:\Program F
    <Action id="0ff1ce14-1021-0000-0000-000000000000" sourceFile="C:\Program F
    <Action id="ec0076ac-0c35-4880-8422-8062f5925bec" sourceFile="C:\Program F
    <Action id="602bc8c3-9286-49a3-b973-3376ca78b297" sourceFile="C:\Program F
    <Action id="00e22a78-33ff-41ac-b0fb-ee46d1636e22" sourceFile="C:\Program F
    <Action id="4b60e42e-e6fc-4188-80d2-ef39e7cc0065" sourceFile="C:\Program F
    <Action id="1d415973-1146-4bc2-8324-83dfff5bfe33" sourceFile="C:\Program F
  </MergedActions>
  <BlobCache location="C:\BlobCache\14" path="\.(gif|jpg|jpeg|jpe|jfif|bmp|dib
  <ObjectCache maxSize="100" />
  <OutputCacheProfiles useCacheProfileOverrides="false" varyByHeader="" varyBy
  <RuntimeFilter Assembly="Microsoft.Office.Server, Version=14.0.0.0, Culture=
</SharePoint>
<system.web>
  <securityPolicy>
    <trustLevel name="WSS_Medium" policyFile="C:\Program Files\Common Files\Mi
    <trustLevel name="WSS_Minimal" policyFile="C:\Program Files\Common Files\M
  </securityPolicy>
  <httpHandlers />
  <customErrors mode="On" />
  <httpRuntime maxRequestLength="51200" />
  <authentication mode="Windows" />
  <identity impersonate="true" />
  <authorization>
```

So ...

How's this page output caching thing work, anyway?

The Page Output Cache is like a big lookup table

Each page request is broken down into a set of characteristics
- Characteristics are selected based on page output cache profiles
- These characteristics (browser type, page requested, etc.) are used to build a key

Notice I said request.
The actual page that is
rendered has no
bearing on how items
are cached or served
from cache.

The Page
is like a big

Each page request is
• Characteristics are s...
• These characteri...

The cac...
• If...

The Page Output Cache is like a big lookup table

Each page request is broken down into a set of characteristics
- Characteristics are selected based on page output cache profiles
- These characteristics (browser type, page requested, etc.) are used to build a key

The cache is searched for a page with the key that was built
- If a page with the same key is found, it is returned from the cache.
- If no match is made, the page is rendered and served back. It is then cached for subsequent requests until it is expired out of the cache or ejected for other reasons.

The trick is to balance profile granularity against memory consumption

Site Settings - Windows Internet Explorer

http://www.spmcdonough.com/_layouts/settings.aspx

Google

Favorites | Site Settings

🏠 ▼ 🔝 ▼ 🖃 🖶 ▼ Page ▼ Safety ▼ Tools ▼ ❓ ▼

Site Actions ▼

Sean P. McDonough ▼

Sean P. McDonough ▸ Site Settings

I Like It   Tags & Notes

Sean P. McDonough   Press Releases

Press Releases

Recycle Bin
All Site Content

Users and Permissions
People and groups
Site permissions
Site collection administrators

Galleries
Site columns
Site content types
Web parts
List templates
Master pages and page layouts
Themes
Solutions

Site Administration
Regional settings
Site libraries and lists
User alerts
RSS
Search and offline availability
Sites and workspaces
Workflows
Workflow settings
Site output cache
Term store management
Content and structure
Searchable columns
Content and structure logs

Site Collection Administration
Search settings
Search scopes
Search keywords
Recycle bin
Site collection features
Site hierarchy
Site collection navigation
Site collection audit settings
Portal site connection
Site collection policies
Content type publishing
Site collection cache profiles
Site collection output cache
Site collection object cache
Variations
Variation labels
Variation logs
Translatable columns
Suggested Content Browser Locations
SharePoint Designer Settings
Visual Upgrade
Help settings

Look and Feel
Welcome Page
Title, description, and icon
Master page
Page layouts and site templates
Tree view
Site theme
Navigation

Site Actions
Manage site features
Reset to site definition
Delete this site
Site Web Analytics reports
Site Collection Web Analytics reports

Reporting Services
Manage Shared Schedules
Reporting Services Site Settings

Site Information

Site URL:
http://www.spmcdonough.com/

Mobile Site URL:
http://www.spmcdonough.com/?Mobile=1

Done

Internet | Protected Mode: On

🔍 100% ▼

Recycle bin

Site collection features

Site hierarchy

Site collection navigation

Site collection audit settings

Portal site connection

Site collection policies

Content type publishing

Site collection cache profiles

Site collection output cache

Site collection object cache

Variations

Variation labels

Variation logs

Translatable columns

Suggested Content Browser Locations

SharePoint Designer Settings

em list was created by the Publishing Resources feature to store profile

| | | ☐ | 📎 | Title |

Disabled

Public Internet (Purely Anonymous)

Extranet (Published Site)

Intranet (Collaboration Site)

➕ Add new item

http://www.spmcdonough.com/Cache%20Profiles/AllItems.aspx

Google

Favorites | Cache Profiles - All Items

Page ▾ Safety ▾ Tools ▾

List Tools

Site Actions ▾   Browse   Items   List

Sean P. McDonough ▾

New Item ▾   New Folder   View Item   Edit Item   Version History   Item Permissions   Delete Item   Attach File   Alert Me ▾   Workflows   Approve/Reject   I Like It   Tags & Notes

New   Manage   Actions   Share & Track   Workflows   Tags and Notes

Press Releases

Recycle Bin

All Site Content

Title

Disabled

Public Internet (Purely An...

Extranet (Published Site)

Intranet (Collaboration S...

Add new item

Cache Profiles - Public Internet (Purely Anonymous)

View

Edit Item | Version History | Manage Permissions | Delete Item | Alert Me

Manage   Actions

Title	Public Internet (Purely Anonymous)
Display Name	
Display Description	Optimized for public Internet facing sites or areas that are meant to serve the same content to all users. No authentication check is done and any user requesting a page recieves the same page as any other user.
Perform ACL Check	No
Enabled	Yes
Duration	180
Check for Changes	No
Vary by Custom Parameter	Browser
Vary by HTTP Header	
Vary by Query String Parameters	
Vary by User Rights	
Cacheability	ServerAndPrivate
Safe for Authenticated Use	No
Allow writers to view cached content	

Content Type: Page Output Cache
Created at 3/26/2011 2:27 PM by System Account
Last modified at 3/26/2011 2:27 PM by System Account

Close

Done

Internet | Protected Mode: On

100%

Edit
Item

Manage Permissions

Delete Item

Manage   Actions

Title	Public Internet (Purely Anonymous)
Display Name	
Display Description	Optimized for public Internet facing sites or areas that are meant to serve the same content to all users. No authentication check is done and any user requesting a page recieves the same page as any other user.
Perform ACL Check	No
Enabled	Yes
Duration	180
Check for Changes	No
Vary by Custom Parameter	Browser
Vary by HTTP Header	
Vary by Query String Parameters	
Vary by User Rights	
Cacheability	ServerAndPrivate
Safe for Authenticated Use	No
Allow writers to view cached content	

Content Type: Page Output Cache

Site collection navigation

Site collection audit settings

Portal site connection

Site collection policies

Content type publishing

Site collection cache profiles

Site collection output cache

Site collection object cache

Variations

Variation labels

Variation logs

Translatable columns

Suggested Content Browser Locat

http://www.spmcdonough.com/_Layouts/sitecachesettings.aspx

Google

Favorites | Site Collection Output Cache Settings

Page ▾ Safety ▾ Tools ▾

Site Actions ▾

Sean P. McDonough ▾

Site Collection Administration ▸ Output Cache Settings
Configure site-wide cache settings.

I Like It   Tags & Notes

Sean P. McDonough   Press Releases

Search this site...

Press Releases

Recycle Bin
All Site Content

Output Cache

Select the **Enable output cache** check box to enable output caching in this site collection.

☐ Enable output cache

Default Page Output Cache Profile

A cache profile specifies how long items should be held in the cache. It also describes to the caching system how to determine whether a cached page element is in fact valid for other requests for the same element from different users.
You can specify different cache profiles to use for anonymous and authenticated users. This optimizes the use of the cache based on the authentication methods allowed on the site.
Page output cache profiles specifically affect portal publishing pages. Learn more about the default page output cache profile.

Anonymous Cache Profile

Disabled
Disabled
Public Internet (Purely Anonymous)
Extranet (Published Site)
Intranet (Collaboration Site)

Selected Anonymous Cache Prof

Disabled

Caching is not enabled

Page Output Cache Policy

You can allow administrators and page layout designers to choose a different page output cache profile from the profile specified above.

Publishing Sites:

☐ Publishing sites can use a different page output cache profile

Page Layouts:

☐ Page layouts can use a different page output cache profile

Debug Cache Information

Select the check box to enable the display of additional cache information on pages in this site collection. This includes the date and time that page contents were last rendered.

☐ Enable debug cache information on pages

OK   Cancel

Internet | Protected Mode: On   100%

Anonymous Cache Profile

Disabled ▼

Disabled
Public Internet (Purely Anonymous)
Extranet (Published Site)
Intranet (Collaboration Site)

Selecte

Au

Disabled ▼

Caching is not enabled

Disabled ▼

Caching is not enabled

Publishing Sites:

☐ Publishing sites can use a different page output cache
profile

Page Layouts:

☐ Page layouts can use a different page output cache p

Page Layouts:

☐ Page layouts can use a different page output cache p

☐ Enable debug cache information on pages

[OK]   [Cancel]

☐ Enable output cache

Anonymous Cache Profile

Page output caching allows
SharePoint to bypass part (or
in most cases, all) of the page
rendering pipeline. This yields
massive performance and page
serving improvements.

Page output caching allows SharePoint to bypass part (or in most cases, all) of the page rendering pipeline. This yields massive performance and page serving improvements.

And finally

Microsoft Office 2010 WEB APPLICATIONS

Office Web Apps Cache

⚠ SharePoint 2010 Only!

Houses images, XAML (eXtensible Application Markup Language), etc, that is generated so documents can be viewed and edited via browser.

How it works under the hood ...

- standard Team Site (site collection)
- each Web application gets one
- can grow to 100 GB in size (by default)
- 30 day content expiration period (by default)

Recommendations

Get friendly with Set-OfficeSPWebAppsCache PowerShell cmdlet

- relocate cache to a dedicated content DB

- increase cache size and expiration for Web applications housing static documents

- decrease cache size and expiration for Web applications housing dynamic or highly collaborative Office documents

dbo permissions to content DBs (service app acct)!

Object caching

Action

Cache size reduced (significantly) below 100MB

Potential Result

- Object cache fills and becomes memory constrained
- Resource contention and ejections lead to cache compactions
- Under heavy load, compaction process leads to thrashing
- SharePoint's ability to serve pages falls through the floor

What to Watch

- Publishing Cache Hit Ratio performance counter
- Total Number Of Cache Compactions performance counter

Object caching

Observation

A publishing site is established in a Web application that is using claims-based authentication. "Access Denied" errors keep appearing - even for site administrators.

Potential Cause

- The default Portal Super User and Portal Super Reader Object Cache accounts are in-use for the Web application

What You Can Do

- Set up new user accounts, establish Web application policies for those accounts, and run some simple PowerShell commands to map the accounts.

Page output caching

Observation

User A requests a page. User B requests the same page.
User B sees information tied to User A.

Potential Cause

- Page output cache profile isn't granular enough to distinguish User A from User B

What You Can Do

- Refine the cache profile in-use (use additional attributes)
- Set caching exclusions by sub-site or page layout type
- Use post-cache substitution (donut caching) in custom code
- Leverage a custom caching handler (IVaryByCustomHandler)

Page output caching

Observation

Memory consumption of ASP.NET worker process grows significantly over time; performance may deteriorate.

Potential Cause

- Page output caching profile is overly granular and too many pages are being cached causing excessive memory load.

What You Can Do

- Adjust caching profiles if possible to reduce page load.
- Selectively disable caching for highly varying sub-sites.
- Adjust cache element values in web.config that controls ASP.NET worker process (e.g., privateBytesLimit attribute)

BLOB caching

Observation

Path property is set correctly, location is set correctly, but images stored in site collection aren't being cached.

Potential Cause

- BLOB cache only works with resources that are stored as list items in lists or document libraries.

What You Can Do

- Leverage built-in libraries such as Site Collection Images.
- Move resources to a custom list.

BLOB caching

Observation

Image is changed on a SharePoint site. Some client browsers show new image while others show the old image.

Potential Cause

- A high max-age attribute (such as the default 24-hour value of 86,400 seconds) may be in-use.

What You Can Do

- Instruct clients to clear their browser cache and revisit site.
- Apply a smaller max-age attribute value or use zero (0) to disable persistent client-side caching of BLOB assets.
- Recognize that this behavior is by-design!

References and Resources

Caching in Office SharePoint Server 2007
http://technet.microsoft.com/en-us/library/cc298466(office.12).aspx

Configure cache settings for a Web application (SharePoint Server 2010)
http://technet.microsoft.com/en-us/library/cc770229.aspx

Configure object cache user accounts
http://technet.microsoft.com/en-us/library/ff758656.aspx

Disk-Based Caching for Binary Large Objects
http://msdn.microsoft.com/en-us/library/aa604896.aspx

Flush the BLOB cache (SharePoint Server 2010)
http://technet.microsoft.com/en-us/library/gg277249.aspx

Manually Clearing the MOSS 2007 BLOB Cache
http://sharepointinterface.com/2009/10/30/manually-clearing-the-moss-2007-blob-cache/

MOSS 2007 Farm-Wide BLOB Cache Flushing Solution
http://blobcachefarmflush.codeplex.com/

Client-Server Interactions and the max-age Attribute with SharePoint...
http://sharepointinterface.com/2011/02/21/client-server-interactions-and-the-max-age-attribute-with-sharepoint-blob-caching/

Manage the Office Web Apps cache
http://technet.microsoft.com/en-us/library/ee837422.aspx

MOSS Object Cache Memory Tuning is not an Intuitive Process
http://sharepointinterface.com/2009/08/30/moss-object-cache-memory-tuning-is-not-an-intuitive-process/

cache Element for caching (ASP.NET Settings Schema)
http://msdn.microsoft.com/en-us/library/ms228248.aspx

Sean P. McDonough

Blog: http://SharePointInterface.com
Email: sean@SharePointInterface.com
LinkedIn: http://www.linkedin.com/in/smcdonough
Twitter: @spmcdonough

SharePoint 2007 Disaster Recovery Guide
http://tinyurl.com/SPDRGuide2007

SharePoint 2010 Disaster Recovery Guide
http://tinyurl.com/SPDRGuide2010